APPENDIX E Building Materia	als

Finish Schedule: August Wilson Center For African American Culture						
Tag	Description	Properties (As Modelled)	Image			
CONC - 2	Finished Concrete - Dark Grey	Reflectance: .11				
CPT - 1	Carpet	Reflectance: .56				
GL - 1	1/4" Clear float glass	Transmittance: .74				
GL - 2	1/2" Clear float glass tempered	Transmittance: .74				
GLZ - 1	IGU 1/4" glass with 1/2" airspace, Clear low-E Coating	Transmittance: .74, U Value: .35, Shading Coefficient: .70, Solar Heat Gain Coefficient: .61, Light to Solar Gain: 1.20				
GLZ - 2	Non-insulated glazed unit (Spandrel)	Transmittance: 0, Reflectance: .5				
GLZ - 3	IGU Curved Clear	Transmittance: .74, U Value: .35, Shading Coefficient: .70, Solar Heat Gain Coefficient: .61, Light to Solar Gain: 1.20				
GLZ - 4	Monolithic, Tempred, Clear lite, 1/2" (Exterior Doors)	Transmittance: .74, U Value: .35, Shading Coefficient: .70, Solar Heat Gain Coefficient: .61, Light to Solar Gain: 1.20				
GLZ - 5	Monolithic lite with ceramic frit	Transmittance: .5				
MP - 1	Metal Panel	Reflectance: .72				
MP - 2	Metal Panel	Reflectance: .72				
MTL - 1	Custom Fabricated 1/8" Aluminum Plate System with PVDF Finish	PVDF, Reflectance: .88				
MTL - 2	Profiled Exposed Fastener Panels, Centria IW-60	Duragard Plus (Green), Reflectance: .80				
MTL - 3	Foamed in Place Panels (Centria FWDS Insulated Panel)	Polyester Coating in 'Arctic Ice', Reflectance: .80				
MTL - 4	Concealed fastener metal panel (Centria Concept Series CS-660)	Duragard Plus, Reflectance: .82 to .96				
P - 1	Paint (General Paint) - White	Reflectance: .80				
P - 2	Paint (Ceiling Plenum) - Black	Reflectance: .06				

P - 3	Paint (Accent) - Orange	Reflectance: .35	
P - 4	Paint (Accent) - Purple	Reflectance: .28	
P - 5	Paint (Accent) - Green	Reflectance: .40	
STN - 3	Stone - Yellow	Reflectance: .74 to .78	
STN - 2	Stone - Yellow Marble	Reflectance: .4	
STN - 1	Stone - Black and White Marble	Reflectance: .0624	
WB - 2	Wood wall base, painted	Painted to Match Wall	
WD - 1	Wood - Mahogony, Quartered	Reflectance: .8	
WD - 2	Wood Panelling - Zebrawood, Quartered	Reflectance: .8	
WD - 5	Resilient Wood Flooring	Reflectance: .68 to .76	
XPC-1	Exposed Plenum Ceiling System - Chicago Metallic Intaline System. Standard White Painted Finish.	Reflectance: .95	